

AMENDMENTS TO THE CLAIMS**Complete Listing of the Claims**


This listing of claims will replace all prior versions, and listings, of claims in the application:

1. - 14. (Cancelled).

15. (Cancelled).

16. - 17. (Cancelled).

18. (Previously Presented) A compound as defined by Formula I:



Formula I

in which;

R₁ and R₂ are the same or different and independently selected from hydrogen, halogen, C₁-C₁₀ alkyl, C₁-C₁₀ substituted alkyl, C₂-C₁₀ alkenyl, C₂-C₁₀ alkynyl, C₁-C₁₀ alkoxy, C₁-C₁₀ alkenoxy, C₁-C₁₀ alkynoxy, C₁-C₁₀ alkylthio, C₁-C₁₀ alkenylthio, C₁-C₁₀ alkynylthio, C₆-C₁₀ arylthio, C₁-C₁₀ alkylsulphone, C₁-C₁₀ alkenylsulphone, C₁-C₁₀ alkynylsulphone, C₆-C₁₀ arylsulphone, C₁-C₁₀ alkylsulphoxide, C₁-C₁₀ alkenylsulphoxide, C₁-C₁₀ alkynylsulphoxide, C₆-C₁₀ arylsulphoxide, C₁-C₁₀ alkylarylthio, C₁-C₁₀ alkylarylsulphone,

C₁-C₁₀ alkylarylsulphoxide, C₆-C₁₀ aryl, or C₅-C₂₀ heteroaryl, optionally substituted with 0, 1, 2 or 3 groups of R^a which groups may be the same or different; or R₁ and R₂ may together form a C₃-C₁₀ cycloalkyl group;

R₃ and R₄ are the same or different and independently selected from hydrogen, halogen, C₁-C₂₀ alkyl, C₃-C₇ cycloalkyl, C₂-C₄ alkenyl, C₂-C₄ alkynyl, C₁-C₄ alkoxy, C₁-C₄ alkenoxy, C₁-C₄ alkynoxy, C₁-C₄ alkylthio, C₁-C₄ alkenylthio, C₁-C₄ alkynylthio C₁-C₁₀ alkylsulphone, C₁-C₁₀ alkenylsulphone, C₁-C₁₀ alkynylsulphone, C₆-C₁₀ arylsulphone, C₁-C₁₀ alkylsulphoxide, C₁-C₁₀ alkenylsulphoxide, C₁-C₁₀ alkynylsulphoxide, C₆-C₁₀ arylsulphoxide, C₁-C₁₀ alkylarylthio, C₁-C₁₀ alkylarylsulphone, C₁-C₁₀ alkylarylsulphoxide, C₆-C₁₅ aryl, C₅-C₂₀ heteroaryl optionally substituted with 0, 1, 2 or 3 groups of R^a which groups may be the same or different; or can together form a keto group;

R₅ is chosen from nitro, cyano, -CH₂CN, -COMe, or -SO₂CH₃;

R₆ is chosen from the group consisting of; hydrogen, C₁-C₅ alkyl, halogen, CN, CO₂H, CHF₂, CH₂F or CF₃;

R₈ is chosen from the group consisting of; hydrogen, C₁-C₅ alkyl, halogen, CHF₂, CH₂F or CF₃;

X is -NH-;






Y is chosen from hydroxy, or -NH(C₁-C₁₀ heteroaryl);


Z is chosen from CR₇ or N;

R₇ is H or C₁-C₅ alkyl;

R^a represents a member selected from: hydrogen, halogen, -CN, OH, CO₂H, CHO, NO₂, -NH₂, -NH(C₁-C₄); N(C₁-C₄)₂, -NH(C₆aryl), -N(C₆aryl)₂, -NH(C₅-C₁₀ heteroaryl), and -N(C₅-C₁₀ heteroaryl)₂; or a pharmaceutically acceptable salt thereof,

with the proviso that the compound is not one of:





wherein A is $-\text{CN}$ or $-\text{NO}_2$, B is $-\text{CN}$, $-\text{NO}_2$ or $-\text{SO}_2\text{CH}_3$, and D is hydrogen or methyl.

19. (Original) A compound according to claim 18, wherein R_1 or/and R_2 are H, (S)-methyl, methyl, (R)-ethyl, (S)-ethyl, ethyl, (R)-propyl, (S)-propyl, propyl, (S)-butyl, S-1-methyl-propyl, S-2-methyl-propyl, (R)-isopropyl, (S)-isopropyl, isopropyl, cyclopentyl, $-(\text{CH}_2)_2\text{SMe}$, (R)- $\text{CH}_2\text{SCH}_2\text{Ph}$, (S)-benzyl, 4-chloro-benzyl, (S)-3-methyl-1-H-indole or (S)-phenyl.
20. (Previously Presented) A compound according to claim 18, wherein R_3 is chosen from the group consisting of hydrogen, methyl, ethyl, phenyl, 3-hydroxy phenyl, 4-hydroxy phenyl, or forms a keto group together with R_4 .
21. (Previously Presented) A compound according to claim 18, wherein R_4 is H, methyl, or forms a keto group together with R_3 .
22. (Previously Presented) A compound according to claim 18, wherein R_5 is NO_2 , CN , or CH_2CN .


23. (Previously Presented) A compound according to claim 18,
wherein R_6 is Me or CF_3 .
24. (Previously Presented) A compound according to claim 18,
wherein R_7 is H or Me.
25. (Previously Presented) A compound according to claim 18,
wherein R_8 is H or methyl.
26. (Cancelled)
27. (Previously Presented) A compound according to claim 18,
wherein Y is -OH.
28. (Cancelled)
29. (Previously Presented) A compound according to claim 18,
wherein the compound is chosen from the group consisting
of:
2-Methyl-2-(4-nitro-3-trifluoromethyl-phenylamino)-propan-
1-ol;
[1-(4-Nitro-3-trifluoromethyl-phenylamino)-cyclopentyl]-
methanol
(S)-2-(4-Nitro-3-trifluoromethyl-phenylamino)-3-phenyl-
propan-1-ol;
(S)-2-(4-Nitro-3-trifluoromethyl-phenylamino)-butan-1-ol;
2-Methyl-2-(3-hydroxy-4-nitro-phenylamino)-propan-1-ol;
[1-(3-Methyl-4-nitro-phenylamino)-cyclopentyl]-methanol;
(S)-2-(3-Methyl-4-nitro-phenylamino)-butan-1-ol;
2-Methyl-2-(6-methyl-5-nitro-pyridine-2-ylamino)-propan-1-
ol;

[1-(6-Methyl-5-nitro-pyridine-2-ylamino)-cyclopentyl]-
methanol;
(S)-2-(6-Methyl-5-nitro-pyridin-2ylamino) 2-phenyl-ethanol;
(S)-2-(6-Methyl-5-nitro-pyridine-2-ylamino)-3-phenyl-
propan-1-ol;
(S)-2-(6-Methyl-5-nitro-pyridin-2-ylamino)-butan-1-ol;
(DL)-3-(4-Chloro-phenyl)-2-(6-methyl-5-nitro-pyridin-2-
ylamino)-propan-1-ol;
(S)-2-(6-Methyl-5-nitro-2-pyridin-2-ylamino)-propionic
acid;
(S)-2-(6-Methyl-5-nitro-pyridin-2-ylamino)-propan-1-ol;
2-(2,3-Dimethyl-4-nitro-phenylamino)-2-methyl-propan-1-ol;
(S)-2-(3,5-Dimethyl-4-nitro-phenylamino)-butan-1-ol;
4-(2-Hydroxy-1,1-dimethyl-ethylamino)-2-trifluoromethyl-
benzonitrile;
4-(1-Hydroxymethyl-cyclopentylamino)-2-trifluoromethyl-
benzonitrile;
(S)-4-(1-Hydroxymethyl-cyclopentylamino)-2-trifluoromethyl-
benzonitrile;
(R)-4-(1-Hydroxymethyl-butylamino)-2-trifluoromethyl-
benzonitrile;
(S)-4-(1-Hydroxymethyl-butylamino)-2-trifluoromethyl-
benzonitrile;
[4-((S)-1-Hydroxymethyl-butylamino)-2-trifluoromethyl-
phenyl]-acetonitrile;
[4-((R)-1-Hydroxymethyl-butylamino)-2-trifluoromethyl-
phenyl]-acetonitrile;
[4-((S)-1-Hydroxymethyl-3-methyl-butylamino)-2-
trifluoromethyl-phenyl]-acetonitrile;
4-(2-Hydroxy-1,1-dimethyl-ethylamino)-2-methyl-
benzonitrile;









6-(2-Hydroxy-1,1-dimethyl-ethylamino)-2-methyl-
nicotinonitrile;









4-(2-Hydroxy-1,1-dimethyl-ethylamino)-2,3-dimethyl-
benzonitrile;









and compounds having the formula:





















in which R₉, R₆ and Z are as defined in the following table:

| R9 | R6 | Z |
|---|-----------------|----|
|  | CF ₃ | CH |
|  | CF ₃ | CH |
|  | CF ₃ | CH |
|  | CF ₃ | CH |
|  | CF ₃ | CH |
|  | CF ₃ | CH |
|  | CF ₃ | CH |
|  | CF ₃ | CH |

| R9 | R6 | Z |
|---|-----------------|----|
|  | CF ₃ | CH |
|  | CF ₃ | CH |
|  | CF ₃ | CH |
|  | CF ₃ | CH |
|  | CF ₃ | CH |
|  | CF ₃ | CH |
|  | CF ₃ | CH |
|  | CF ₃ | CH |

| R9 | R6 | Z |
|---|-----------------|----|
|  | CF ₃ | CH |
|  | CH ₃ | N |
|  | CH ₃ | N |
|  | CH ₃ | N |
|  | CH ₃ | N |
|  | CH ₃ | N |
|  | CH ₃ | N |
|  | CH ₃ | N |

| R9 | R6 | Z |
|---|-----------------|---|
|  | CH ₃ | N |
|  | CH ₃ | N |
|  | CH ₃ | N |
|  | CH ₃ | N |
|  | CH ₃ | N |
|  | CH ₃ | N |
|  | CH ₃ | N |
|  | CH ₃ | N |
|  | CH ₃ | N |

| R9 | R6 | Z |
|---|-----------------|----|
|  | CH ₃ | N |
|  | CH ₃ | CH |
|  | CH ₃ | CH |
|  | CH ₃ | CH |
|  | CH ₃ | CH |
|  | CH ₃ | CH |
|  | CH ₃ | CH |
|  | CH ₃ | CH |
|  | CH ₃ | CH |

| R9 | R6 | Z |
|----|-----------------|----|
| | CH ₃ | CH |
| | CH ₃ | CH |
| | CH ₃ | CH |
| | CH ₃ | CH |
| | CH ₃ | CH |
| | CH ₃ | CH |

2-Methyl-N-(6-methyl-5-nitro-pyridin-2-yl amino)-propan-2-ol;

4-((R)-2-Hydroxy-1-methyl-ethylamino)-2-trifluoromethyl-benzonitrile

4-((R)-1-Furan-2-ylmethyl-2-hydroxy-ethylamino)-2-trifluoromethyl-benzonitrile

(R)-3-Furan-2-yl-2-(6-methyl-5-nitro-pyridin-2-ylamino)-
propan-1-ol
2-(6-Methyl-5-nitro-pyridin-2-ylamino)-heptan-1-ol
3-Cyclopentyl-2-(6-methyl-5-nitro-pyridin-2-ylamino)-
propan-1-ol
[1-(4-Methanesulfonyl-3-methyl-phenylamino)-cyclopentyl]-
methanol
2,2-Dimethyl-3-(6-methyl-5-nitro-pyridin-2-ylamino)-propan-
1-ol
2, 2-Dimethyl-3-(3-methyl-4-nitro-phenylamino)-propan-1-ol
4-((R)-1-Benzylsulfanylmethyl-2-hydroxy-ethylamino)-2-
trifluoromethyl-benzonitrile
(R)-2-(6-Methyl-5-nitro-pyridin-2-ylamino)-3-
phenylmethanesulfinyl-propan-1-ol
4-((R)-2-Hydroxy-1-phenylmethanesulfinylmethyl-ethylamino)-
2-trifluoromethyl-benzonitrile
[1-(4-Nitro-phenylamino)-cyclopentyl]-methanol
(S)-2-(4-Nitro-phenylamino)-pentan-1-ol
[1-(2-Bromo-4-nitro-phenylamino)-cyclopentyl]-methanol
(S)-2-(2-Bromo-4-nitro-phenylamino)-pentan-1-ol
(S)-2-(2-Bromo-4-nitro-phenylamino)-4-methyl-pentan-1-ol

30. (Previously Presented) A compound according to claim 18,
wherein R_1 or R_2 is a C_6 - C_{10} arylthio comprising an aryl-
substituted sulfur-containing C_1 - C_{10} alkyl group.
31. (Previously Presented) A compound according to claim 18,
wherein in R_1 or R_2 the alkylsulfur is substituted with a C_6
aryl group.

32 - 43. (Cancelled)

44. (New) A pharmaceutical composition containing a compound according to claim 18.